

SCHEDULE 1 – HOURLY EQUIPMENT AND LABOR PRICE SCHEDULE

Equipment Type With Operator	Hourly Equipment Rate
Air Curtain Burner, Self Contained System	
Bobcat Loader	
50' Bucket Truck	
Crash Truck w/Impact Attenuator	
Dozer, Tracked, D4 or Equivalent	
Dozer, Tracked, D6 or Equivalent	
Dozer, Tracked, D7 or Equivalent	
Dozer, Tracked, D8 or Equivalent	
Dump Truck, 10 CY-17 CY	
Dump Truck, 18 CY-20 CY	
Dump Truck, 21 CY-30 CY	
Generator, 16 to 100 kW, List kW Capacity	
Generator, 210 to 350 kW, List kW Capacity	
Generator, 1,100 to 2,500 kW, List kW Capacity	
Light Plant with Fuel and Support	
Grader w/12' Blade	
Hydraulic Excavator, 1.5 CY	
Hydraulic Excavator, 2.5 CY	
Knuckleboom Loader	
Lowboy Trailer w/Tractor	
Mobile Crane up to 15 Ton	
Pump, 40 to 140 HP (Minimum 25' Intake and 200' Discharge to Include Fuel and Support Personnel)	
Pump, 200 HP to 350 HP (Minimum 25' Intake and 200' Discharge to Include Fuel and Support Personnel)	
Pump, 500 HP to 650 HP (Minimum 25' Intake and 200' Discharge to Include Fuel and Support Personnel)	
Vac Truck (Mist Capacity), List Capacity	
Pickup Truck, .5 Ton	
Skid-Steer Loader, 1,000 LB Capacity	
Skid-Steer Loader, 2,000 LB Capacity	

Tub Grinder, 800 to 1,000 HP	
Track Hoe – John Deere 690 or Equivalent	
Truck, Flatbed	
4 Wheel Drive Lift for Tower	
Water Truck (Non-Potable, Dust Control and Pavement Maintenance)	
Wheel Loader, 2.5 CY, 950 or Similar	
Wheel Loader, 3.5 – 4.0 CY, 966 or Similar	
Wheel Loader, 4.5 CY, 980 or Similar	
Wheel Loader-Backhoe, 1.0 – 1.5 CY	
Other – Please List	

Labor Category	Hourly Labor Rate
Operations Manager w/Cell Phone and Pickup	
Crew Foreman w/Cell Phone and Pickup	
Tree Climber/Chainsaw and Gear	
Laborer w/Chain Saw	
Laborer w/Small Tools, Traffic Control, or Flagperson	
Bonded and Certified Security Personnel	
Other – Please List	

Crew Category	Hourly Labor Rate
Wheel Loader, 2.5 CY, 950 or Similar w/Operator, Foreman with Support Vehicle and Small Equipment, Laborer w/Chain Saw, and 2 Laborers w/Small Tools.	
Other – Please List	

Exhibit "A"